




Service



14096000

hansgrohe



Montage siehe Seite 3
Montage voir page 3
Assembly see page 3
Montaggio vedere pagina 3
Montaje ver pagina 3
Montering zie blz. 3
Montering se side 3
Instalação ver a pág. 3



18400XXX, 18420XXX, 19400XXX,
 16400XXX, 16420XXX, 13450XXX,
 13430XXX, 35400800, 15400XXX,
 15420XXX

18600XXX, 34600XXX, 19600XXX,
 11600XXX, 16600XXX, 36600XXX,
 13650XXX, 35600800, 15600XXX,
 14600XXX, 31600XXX


Montage siehe Seite 6
Montage voir page 6
Assembly see page 6
Montaggio vedere pagina 6
Montaje ver pagina 6
Montering zie blz. 6
Montering se side 6
Instalação ver a pág. 6



14400XXX, 31400XXX









34400XXX, 36400XXX

Montage siehe Seite 9
Montage voir page 9
Assembly see page 9
Montaggio vedere pagina 9
Montaje ver pagina 9
Montering zie blz. 9
Montering se side 9
Instalação ver a pág. 9




13505180, 18405XXX, 18409XXX,
 11405XXX, 11409XXX, 17405XXX,
 17409XXX, 36405XXX, 36409XXX,
 16405XXX, 16409XXX, 19405XXX,
 19409XXX, 15405XXX, 15409XXX,
 14405XXX, 14409XXX, 13456XXX,
 13459XXX, 10405XXX, 10409XXX,
 35405800, 35409800, 34405XXX,
 34409XXX


13607180, 18605XXX, 11605XXX,
 11605XXX, 36605XXX, 16605XXX,
 19605XXX, 15605XXX, 14605XXX,
 13656XXX, 10605XXX, 35605800,
 34605XXX




10



11




12




Warmwasserbegrenzung: Warmwassertemperatur 60°C, Kaltwassertemperatur 10°C, Fließdruck 3 bar
 Limiteur d'eau chaude: Température d'eau chaude 60°C, Température d'eau froide 10°C, Pression dynamique 3 bar
 hot water limiter: hot water temperature 60°C, cold water temperature 10°C, flow rate 3 bar
 limitatore di acqua calda: temperatura dell'acqua calda 60°C, temperatura dell'acqua fredda 10°C, pressione 3 bar
 limitación del agua caliente: temperatura del agua caliente 60°C, temp. del agua fría 10°C, presión dinámica 3 bar
 Warmwaterbegrenzing: Warmwatertemperatuur 60°C, Koudwatertemperatuur 10°C, Stroomdruk 3 atm
 varmtvandsbegrænser: varmtvandstemperatur 60°C, koldt vandstemperatur 10°C, vandtryk 3 bar
 Limitador de água quente: Temperatura da água quente 60°C, Temperatura da água fria 10°C, Pressão 3 bar


13











14




15







1




2




3




4




5




6




7





8



9




10




Warmwasserbegrenzung: Warmwassertemperatur 60°C, Kaltwassertemperatur 10°C, Fließdruck 3 bar
 Limiteur d'eau chaude: Température d'eau chaude 60°C, Température d'eau froide 10°C, Pression dynamique 3 bar
 hot water limiter: hot water temperature 60°C, cold water temperature 10°C, flow rate 3 bar
 limitatore di acqua calda: temperatura dell'acqua calda 60°C, temperatura dell'acqua fredda 10°C, pressione 3 bar
 limitación del agua caliente: temperatura del agua caliente 60°C, temp. del agua fría 10°C, presión dinámica 3 bar
 Warmwaterbegrenzung: Warmwatertemperatuur 60°C, Koudwatertemperatuur 10°C, Stroomdruk 3 atm
 varmtvandsbegrænser: varmtvandstemperatur 60°C, koldtvandstemperatur 10°C, vandtryk 3 bar
 Limitador de água quente: Temperatura da água quente 60°C, Temperatura da água fria 10°C, Pressão 3 bar


11




12




13




14




15




16




17




18




19




1




2




3




4




5




6




7




8




9




10



11




12




Warmwasserbegrenzung: Warmwassertemperatur 60°C, Kaltwassertemperatur 10°C, Fließdruck 3 bar
 Limiteur d'eau chaude: Température d'eau chaude 60°C, Température d'eau froide 10°C, Pression dynamique 3 bar
 hot water limiter: hot water temperature 60°C, cold water temperature 10°C, flow rate 3 bar
 limitatore di acqua calda: temperatura dell'acqua calda 60°C, temperatura dell'acqua fredda 10°C, pressione 3 bar
 limitación del agua caliente: temperatura del agua caliente 60°C, temp. del agua fría 10°C, presión dinámica 3 bar
 Warmwaterbegrenzing: Warmwatertemperatuur 60°C, Koudwatertemperatuur 10°C, Stroomdruk 3 atm
 varmtvandsbegrænser: varmtvandstemperatur 60°C, koldt vandstemperatur 10°C, vandtryk 3 bar
 Limitador de água quente: Temperatura da água quente 60°C, Temperatura da água fria 10°C, Pressão 3 bar


13




14




15




16




17




18




19




20




21



22



23



hansgrohe

AXOR | PHÄRO

Hansgrohe · Postfach 1145 · D-77761 Schiltach · Telefon +49 (0) 78 36/51-1282 · Telefax +49 (0) 7836/511440
E-Mail: info@hansgrohe.com · Internet: www.hansgrohe.com

11/2000
9.07486.01